



THE BEAUTY OF
IMPER
FECTION


TECHNICAL
INFO

IN & OUT


RO TECHNICAL INFO

IN & OUT — FAMILY TILES


* One fixed set of tiles covers 1.015 sqm and contains 9 tiles (3 Sizes X 3 Thickness)



SURFACE FINISH



FIXED COMBINATION



PACKING / INFORMATION

	PCS-SQM	PCS-CRATE	SQM-CRATE	KG-CRATE	SUITABILITY
In&Out Mix Flat/ Sandblasted – IO2000	1 Set Is 1.015 SQM	123	13.6	~640	Interior / Exterior Use For Walls / Floring
In&Out Mix Texture – IO2001	1 Set Is 1.015 SQM	123	13.6	~640	Interior / Exterior Use For Walls / Floring
In&Out Flat/ Sandblasted 1.5 – IO2002	1 Set Is 1.015 SQM	180	20	~640	Interior / Exterior Use For Walls / Floring
In&Out Flat/ Sandblasted 2.2 – IO2003	1 Set Is 0.338 SQM	129	14.44	~678	Interior / Exterior Use For Walls / Floring
In&Out Flat/ Sandblasted 2.9 – IO2004	1 Set Is 0.338 SQM	99	11	~715	Interior / Exterior Use For Walls / Floring
In&Out Texture 1.5 – IO2005	1 Set Is 0.338 SQM	180	20	~640	Interior / Exterior Use For Walls / Floring
In&Out Texture 2.2 – IO2006	1 Set Is 0.338 SQM	129	14.44	~678	Interior / Exterior Use For Walls / Floring
In&Out Texture 2.9 – IO2007	1 Set Is 0.338 SQM	99	11	~715	Interior / Exterior Use For Walls / Floring

GENERAL MATERIAL PERFORMANCE DATA

* Tested according to NP EN1339 standart	Dimensions Tolerance	Bending Strength	Abrasion Resistance	Reaction To Fire	Slip / Skid	Water Absorption	Freeze / Thaw Resistance
	Class 3(R) ±2mm	Class 2(T) ≥4mpa	Class 4(l) ≤20mm	A1	Satisfactory	Class 2(B) ≤6% as a mean	Class 3(D) ≤1.0 kg/M²

COLOUR PALETTE

010 - Silver Fog	011 - Urban Mist	012 - Shadow Stone	013 - Powder Skin	030 - Dune Soft Sand	032 - Olive Grain
014 - Volcanic Lilac	019 - Graphite Ash	020 - Raw Terracotta	031 - Siena Dust	001 - Broken White	

