



THE BEAUTY OF
IMPER
FECTION


TECHNICAL
INFO

BLEND


TECHNICAL INFO

Blend Family Tiles


BL001




BL002




BL003



BL004



Blend — Layout Composition Suggestion



Thickness: 15mm — 5/8"
Hand Made Concrete

Packing / Information

	PCS-SQM	PCS-CRATE
Blend 001 Texture	25	546
Blend 002 Texture	25	546
Blend 003 Texture	25	546
Blend 004 Texture	25	546

SQM-CRATE	KG-CRATE	SUITABILITY	CATALOG NUM.
21.84	698.88	Interior / Exterior Use For Walls	BL001
21.84	698.88	Interior / Exterior Use For Walls	BL002
21.84	698.88	Interior / Exterior Use For Walls	BL003
21.84	698.88	Interior / Exterior Use For Walls	BL004

Colour Palette

010 Silver Fog	011 Urban Mist	012 Shadow Stone	013 Powder Skin	030 Dune Soft Sand	
032 Olive Grain	014 Volcanic Lilac	019 Graphite Ash	020 Raw Terracotta	031 Siena Dust	001 Broken White

General Material Performance Data

	Dimensions Tolerance	Bending Strength	Abrasion Resistance	Reaction To Fire	Slip / Skid	Water Absorption	Freeze / Thaw Resistance
* Tested according to NP EN1339 standart	Class 3(R) ±2mm	Class 2(T) ≥4mpa	Class 4(I) ≤20mm	A1	Satisfactory	Class 2(B) ≤6% as a mean	Class 3(D) ≤1.0 kg/M2

