



THE BEAUTY OF
IMPER
FECTION

TECHNICAL
INFO

TINY

RO TECHNICAL
INFO

TINY TIMBER — FAMILY TILES


TM2006

20CM / 7 7/8"




20CM / 7 7/8"


TM2007




TM2008



TM2009




TM2010



TINY FLORAL — FAMILY TILES


FL3006

15CM / 5 7/8"




15CM / 5 7/8"


FL3007




FL3008



FL3009



FL3010



PACKING / INFORMATION

	PCS-SQM	PCS-CRATE	SQM-CRATE	KG-CRATE	SUITABILITY
Tiny Timber Mix	25	400	16	688	Interior / Exterior Use For Walls / Floring
Tiny Floral Mix	44.4	750	16.875	725.6	Interior / Exterior Use For Walls / Floring

GENERAL MATERIAL PERFORMANCE DATA

* Tested according to NP EN1339 standart	Dimensions Tolerance	Bending Strength	Abrasion Resistance	Reaction To Fire	Slip / Skid	Water Absorption	Freeze / Thaw Resistance
	Class 3(R) ±2mm	Class 2(T) ≥4mpa	Class 4(I) ≤20mm	A1	Satisfactory	Class 2(B) ≤6% as a mean	Class 3(D) ≤1.0 kg/M²

COLOUR PALETTE

010 - Silver Fog	011 - Urban Mist	012 - Shadow Stone	013 - Powder Skin	030 - Dune Soft Sand	032 - Olive Grain
014 - Volcanic Lilac	019 - Graphite Ash	020 - Raw Terracotta	031 - Siena Dust	001 - Broken White	

